


透明特殊生物乙烯软管，天然生物能源材质，生产过程有效减少CO₂排放；高强度聚酯纤维网增强；

- 适用于抽吸输送食品流体，饮料，果汁，葡萄酒以及酒精浓度高达50%的烈酒；也可输送牛奶及奶制品；通常用于灌装机和分配器上。

符合美国FDA CFR. 21 (item 176.170)和欧盟Reg. EU 10/2011 (classes A, B, C, D1)食品级标准。

Transparent hose produced with a special bio-based compound, obtained from natural energy sources, which production allows to save CO₂ emissions and a high tenacity polyester reinforcement.

• Ideal solution for delivery of food liquids, beverages, fruit juices, wine and liquors with up to 50% alcohol concentration as well as for the passage of milk and dairy products, according to FDA CFR. 21 (item 176.170) and to Reg. EU 10/2011 (classes A, B, C, D1). It is often used for filling machines and dispensers.



技术参数 / Technical data

代码 Code	内径 Ins. Ø	外径 Out Ø	重量 Weight	工作压力 WP	爆破压力 BP	弯曲半径 Bending	每卷长度 Coil lgth.	体积 Vol.
	mm	mm	g/m	bar	bar	mm	m	m ³
B1 01 006.0 012.0	6	12	105	21	63	30	100	0,025
B1 01 008.0 014.0	8	14	130	23	69	40	100	0,032
B1 01 010.0 016.0	10	16	150	16	48	50	100	0,041
B1 01 012.0 018.0	12	18	175	12	36	60	100	0,050
B1 01 013.0 019.0	13	19	185	11	33	70	100	0,058
B1 01 016.0 022.0	16	22	220	10	30	80	50	0,095
B1 01 019.0 026.0	19	26	305	9	27	100	50	0,120
B1 01 025.0 033.0	25	33	450	8	24	130	50	0,181
B1 01 030.0 038.0	30	38	525	6	18	150	50	0,135
B1 01 032.0 042.0	32	42	710	5	15	160	50	0,146
B1 01 038.0 048.0	38	48	825	4	12	190	50	0,271
B1 01 040.0 050.0	40	50	865	4	12	200	50	0,303
B1 01 050.0 062.0	50*	62	1290	4	12	250	50	0,391

* 如有需求，请与我们的销售办公室联系，以获得更多的信息和数据 / *Available on request, contact our sales office for more info and quantities

以上技术数据均在温度23°C，50%湿度下测量 / The technical data here reported were measured at 23°C with 50% humidity